

# Small diameter straight 22mm 15mm 10mm ASTM B88 Copper Tube Copper **Pipe For Sale**

# **Basic Information**

- Place of Origin:
- Brand Name:
- jinshunlai

china

- IOS AISI, ASTM, GB, EN Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 0.1nm-900nm 1kg contact us 5days L/C, T/T , Western Union,D/P 90000ton



### **Product Specification**

- Application:
- Color:
- Length:
- MOQ:
- Port:
- Shape:
- Surface Treatment:
- Wall Thickness:
- Color:

#### Industrial, Construction, Etc. Customized Customized

Polishing, Sandblasting, Anodizing, Etc.

- 1 Piece
- Shanghai, Ningbo, Etc.

Red Yellow

- Tube
- - Customized




## More Images



Our Product Introduction

# **COPPER PIPE**

COPPER PIPE, A TYPE OF NON-FERROUS METAL PIPE, IS A SEAMLESS PIPE THAT IS PRESSED AND DRAWN. COPPER PIPE HAS THE CHARACTERISTICS OF GOOD ELECTRICAL CONDUCTIVITY AND THERMAL CONDUCTIVITY. IT IS THE MAIN MATERIAL FOR ELECTRICAL AND HEAT-DISSIPATING ACCESSORIES OF ELECTRONIC PRODUCTS. IT HAS BECOME THE FIRST CHOICE FOR MODERN CONTRACTORS TO INSTALL WATER PIPES, HEATING AND COOLING PIPES IN ALL RESIDENTIAL COMMERCIAL BUILDINGS. THE COPPER PIPE HAS STRONG CORROSION RESISTANCE, IS NOT EASY TO OXIDIZE, AND IS NOT EASY TO CHEMICALLY REACT WITH SOME LIQUID SUBSTANCES.



Item	Outer diameter	Wall Thickness
1.0000000000000000000000000000000000000	1mm	0.2mm-0.3mm
2	1.2mm	0.2mm-0.4mm
3	1.4mm	0.3mm-0.4mm
4	1.6mm	0.3mm-0.5mm
5	1.8mm	0.3mm-0.6mm
6	2.0mm	0.4mm-0.7mm
7	2.2mm	0.4mm-0.7mm
8	2.4mm	0.4mm-0.7mm
9	2.5mm	0.5mm-0.8mm
10	2.8mm	0.4mm-0.8mm
11	3.0mm	0.4mm-0.9mm
12	3.5mm	0.4mm-0.9mm
13	4.0mm	0.4mm-1.0mm
14	4.5mm	0.4mm-1.0mm
15	4.76mm	0.4mm-1.0mm
16	5mm	0.4mm-1.0mm

**KEY ATTRIBUTES** 

INDUSTRY-SPECIFIC ATTRIBUTES

CU (MIN)	99.99%
ALLOY OR NOT	NON-ALLOY

#### **OTHER ATTRIBUTES**

COMMODITY	STRAIGHT COPPER PIPE
STANDARD	ASTM B280,ASTM B68,ASTM B75,ASTM B88,JIS H3300,EN12735,AS1571
MATERIAL	C10100,C10200,C12000,C12200,C11000
SHAPE TYPE	STRAIGHT ROUND, SQUARE, RECTANGULAR, COIL, OVAL, HALF-ROUND
WALL THICKNESS	0.2-60MM OR AS YOUR REQUEST
OUT DIAMETER	2-800MM OR AS YOUR REQUEST
LENGTH	1-10M OR AS YOUR REQUEST
SURFACE	MILL FINISH, POLISHED, ANODIZING, BRUSHING, SAND BLASTING, POWDE COATING,ETC
SAMPLES	CAN PROVIDE SAMPLES
MOQ	200KG ,CAN BE CUSTOMIZED ACCORDING TO YOUR REQUIREMENTS.
DELIVERY TIME	USUALLY WITHIN 7 DAYS, THE TIME DEPENDS ON THE NUMBER OF PRODU
PACKING DETAILS	PLASTIC FILM WITH PLASTIC CAPS ON THE BOTH ENDS AND WOODEN CA PACKAGE OR AS YOUR DEMAND
PAYMENT	T/T, D/A, D/P, L/C, WESTERN UNION, MONEYGRAM OR ACCORDING TO CUS REQUIREMENTS.
ADVANTAGES	1.REASONABLE PRICE WITH EXCELLENT QUALITY. 2.ABUNDANT STOCK AND PROMPT DELIVERY. 3.RICH SUPPLY AND EXPORT EXPERIENCE,SINCERE SERVICE.

**PACKAGING & DELIVERY** 

PACKAGE TYPE:

STANDARD SEAWORTHY PACKING



#### SUPPLY ABILITY

SUPPLY ABILITY

2000 TON/TONS PER MONTH





Our company has convenient delivery. We have warehouses in Wuxi and Liaocheng, and can ship goods in Tianjin port, Shanghai port and Qingdao port. The warehouse in Wuxi is only two hours' drive from Shanghai port In addition, our products support certificate of origin certification. We believe our quality and service will bring success to each customer. Our products are also exported to clients in such countries and regions as North America, South America, Eastern Europe, Southeast Asia, Oceania, Mid East, Eastern Asia, Western Europe and South Asia.



32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China